

Personal Protective Equipment Checklist/Log

Name:				Date:						
T41			Aggin							
nue:			Assig	nment:						
			ASSIGN	NED EQUIPMENT	1					
Item	Manufacturer	Year	New/Reassigned	Make	Mod	el	Serial	# Date	of Issue	
Coat										
Pants										
Helmet										
Gloves										
Hood										
Footwear										
							1			
G 0 + F			vanced Inspection			ondition		Of (Mark wit		
COAT			Refer to Appropriate NI		PASS	FAIL	CLEAN	REPLACE	REPAIR	
Routine		it and coal	t/trouser overlap (at least 2	2")						
Routine	Soiling	from hoz	ardous materials or biologi	aal agants					 	
Routine Routine	Rips, tears and		ardous materials of biologi	icai agents				-	 	
Routine	Damaged or mi		tware						 	
Routine			charring, burn holes, or m	elting in any layer						
Routine	Damaged or mi			citing in any layer						
Advanced			- Rips, discoloration, ther	mal damage				<u> </u>		
Advanced	Loss or shifting			mar ammaga						
Advanced	Broken or missi	ing stitche	es							
Advanced			nemical degradation							
Advanced	Wristlets: elasti	icity, stret	ching, cuts, thermal dama	ge						
Advanced			, reflectivity, damage							
Advanced	Label integrity,									
Advanced	Hook and Loop									
Advanced	Liner attachme								ļ	
Advanced	Closure system	functiona	ılıty					<u> </u>		
Action Taken	1:									
	Rout	tine or Ad	lvanced Inspection		"√" C	ondition	In Need	Of (Mark wit	h an "Y")	
PANTS			Refer to Appropriate NI	FPA Standard)	PASS	FAIL	CLEAN	REPLACE	REPAIR	
Routine	Evaluation of f	it and coat	t/trouser overlap (at least 2	2")	11100	11112	CLLIN	102 2.102	112211111	
Routine	Soiling		1 (/						
Routine			ardous materials or biologi	cal agents						
Routine	Rips, tears and									
Routine	Damaged or mi									
Routine			charring, burn holes, or m	elting in any layer						
Routine	Damaged or mi									
Advanced			- Rips, discoloration, ther	mal damage					_	
Advanced	Loss or shifting								-	
Advanced	Broken or missi		es nemical degradation					 	 	
Advanced			hing, cuts, thermal damage	a				 	 	
Advanced Advanced			ning, cuts, thermal damage , reflectivity, damage	<u> </u>	+			 	 	
Advanced Advanced	Label integrity.								 	
Advanced Advanced	Hook and Loop								 	
Advanced	Liner attachme		-		+			†		
A I	Clamma greaten	functions	11:4					1	 	

Action Taken:

	Routine or Advanced Inspection	"√" Co	ndition	In Need	Of (Mark wit	h an "X")
FOOTWEAR	PROPER FIT (Refer to Appropriate NFPA Standard)	PASS	FAIL	CLEAN	REPLACE	REPAIR
Routine	Evaluation of fit					
Routine	Soiling					
Routine	Contamination from hazardous materials or biological agents					
Routine	Rips, tears, cuts or thermal damage					
Routine	Loss of water resistance					
Routine	Closure systems damage					
Routine	Damage or deformed steel toe, mid-sole and shank					
Advanced	Seam integrity and condition of liner					
Advanced	Heel and excessive tread wear					
Advanced	Closure system damage and functionality					
Advanced	Condition of lining					
Action Taken:						
	Routine or Advanced Inspection	"✓" Co	ndition	In Need	Of (Mark wit	h an "X")
GLOVES	PRO PER FIT (Refer to Appropriate NFPA Standard)	PASS	FAIL	CLEAN	REPLACE	REPAIR
Routine	Evaluation of fit					
Routine	Soiling					
Douting	Contamination from hazardous materials or high giant agents					

Routine or Advanced Inspection			"√" Condition		In Need Of (Mark with an "X"	
GLOVES	PROPER FIT (Refer to Appropriate NFPA Standard)	PASS	FAIL	CLEAN	REPLACE	REPAIR
Routine	Evaluation of fit					
Routine	Soiling					
Routine	Contamination from hazardous materials or biological agents					
Routine	Rips, tears, cuts or thermal damage					
Routine	Invertedliner					
Routine	Shrinkage					
Routine	Loss of elasticity and flexibility					
Action Taken:			•		_	

	Routine or Advanced Inspection			In Need Of (Mark with an		h an "X")
HELMETS	PROPER FIT (Refer to Appropriate NFPA Standard)	PASS	FAIL	CLEAN	REPLACE	REPAIR
Routine	Evaluation for fit					
Routine	Soiling					
Routine	Damage to shell: cracks, dents and abrasions					
Routine	Damage to liner: rips, tears or thermal damage					
Routine	Suspension system					
Routine	Damage or missing components to face-shield or goggle system					
Routine	Damage or missing reflective trim					
Advanced	Face-shield/goggle functionality					
Advanced	Damage to impact cap					
Action Taken:			•	•	•	

Routine or Advanced Inspection			"√" Condition		In Need Of (Mark with an "X	
HOOD	PROPER FIT (Refer to Appropriate NFPA Standard)	PASS	FAIL	CLEAN	REPLACE	REPAIR
Routine	Evaluation of fit					
Routine	Soiling					
Routine	Contamination from hazardous materials or biological agents					
Routine	Rips, tears, cuts or thermal damage					
Routine	Loss of face opening adjustment/Shrinkage					
Advanced	Seam integrity					
Advanced	Elasticity					
Action Taken:						

TANKON AMARIN I		
Comments:		
Inspected By:	Signature:	Date://

Inspection Log

Inspected by	Date	Inspection Type Routine/Advanced	P = Pass F = Fail	Cleaned Routine/Advanced/Specialized	Repaired Yes/No	Disposition	Comments
						-	
			1				

Reference Material:

NFPA 1851, Selection Care, and Maintenance of Structural Fire Fighting Protective Ensemble, 2001 Edition

NFPA 1971, Protective Ensemble for Structural Fire Fighting, 2000 Edition

Explanatory Material

Routine Inspection – This inspection shall be conducted by the individual member after each use based on department guidelines and according to manufacturer's recommendations.

Advanced Inspection — This inspection may be conducted by members of the organization who have received training in the inspection of structural firefighting protective clothing and equipment based on department guidelines and according to manufacturer's recommendations. . It shall be conducted at a minimum of every 12 months or whenever routine inspections indicate a problem exists.

Routine Cleaning – This type of cleaning is conducted by the end user based on department guidelines and manufacturer's recommendations, without taking the element out of service.

Advanced Cleaning – This type of cleaning can be conducted by a member of the organization who has received training in the cleaning of structural fire fighting protective clothing and equipment based on department guidelines and according to manufacturer's recommendations. This type of cleaning shall be conducted every six months at a minimum and advanced cleaning shall be conducted for items that have been issued, used, and are soiled. Advanced cleaning can also be accomplished by contract cleaning.

Specialized Cleaning – This type of cleaning can be conducted by a member of the organization who has received training in the cleaning of structural fire fighting protective clothing and equipment based on department guidelines and according to manufacturer's recommendations.

This worksheet does not list all of the material contained in the referenced standards. Please refer to the appropriate standard for additional information.